



Overview

LEMAR track-mounted LED spotlight features a minimalist cylindrical design with a high-quality matte black finish, making it ideal for retail, gallery, and residential applications. Equipped with an energy-efficient LED module, it delivers focused, high-lumen output with excellent color rendering. The adjustable head allows for precise directional lighting, enhancing product displays or architectural features. Designed for 3-phase track systems, it ensures flexible installation and easy repositioning. Available in multiple wattages, beam angles, and color temperatures to meet diverse lighting needs.

Electrical Specifications

Model No.	TRL-30W
Power	Multi power (26/28/30W)
Frequency	50/60 Hz
Voltage	220-240V

Light Specifications

Luminous Flux	26W:2340lm 28W:2520lm 30W:2700lm
Luminous Efficacy (rated)	26W:90lm/w 28W:90lm/w 30W:90lm/w
Correlated Color Temperature (CCT)	3CCT (300K/4000K/6500K)
Luminaire Light Beam Spread (Beam Angle)	24°
Color Rendering Index (CRI)	≥90

Mechanical Specifications

Housing Color	Black/White
Material	ALU+PC
Dimensions ((Ø*H)	75*180 mm
Ambient Temperature Range	-20°C ~ 40°C
Ingress Protection Code (IP)	IP20

Performance Warranty

Warranty	2 Years
Lifespan	25.000Hrs

APPLICATIONS

